

PROVIDENCE FIRE DEPARTMENT



2014 ANNUAL REPORT

JORGE O ELORZA
MAYOR

STEVEN PARE
COMMISSIONER
OF PUBLIC SAFETY

CLARENCE CUNHA
CHIEF OF DEPARTMENT

Annual Report of the Providence Fire Department 2014

The operations of the Providence Fire Department consists of those departmental assets which respond, mitigate, communicate, inspect and train the city's first line of defense against fire, hazardous materials incidents, medical emergencies and other disasters and conditions that present hazards to the City of Providence, its residents and visitors.

The Providence Fire Department responded to 40,568 total calls for service in 2014. Of these calls 28,995, or approximately 71% of the calls, were for Emergency Medical Services. These EMS calls consist of Advanced and Basic Life Support calls. The department responded to 715 structure fires. Of these fires 12 required a 2nd alarm assignment and 3 required a 3rd alarm assignment. The members of the department responded with professionalism and compassion in an attempt to achieve our mission to protect life and property on each individual call.

Over the past few years new leadership continues to emerge and are committed to the Providence Fire Department's command staff's long term goals to identify hazards and prepare for response. There is also a renewed commitment to the safety and well-being of our city's residents and to our members. These goals are being achieved by open lines of communication between the department's Command Staff and Fire Chiefs. A spirit of trust continues to grow which enables the department to better protect the city's residents and help keep our firefighters safe. This department continues to earn the most favorable satisfaction rating of any department in the City of Providence polls surveying city services.

The Providence Fire Department is the second largest fire department in New England and as such is confronted with fire load and response challenges that few fire department of its size face. In addition to aging and severely congested housing grids, which present a real conflagration hazard, there are also over 25 million barrels of flammable liquids and approximately 1 million barrels of flammable gas stored at the Port of Providence. The City is also home to (UNIVAR), which is a major chemical manufacturer which ships and receives its chemicals by rail services. These chemicals pose an ever-present toxic inhalation hazard as well as many other health, safety and environmental concerns to the city and neighboring communities. There are many other high risk and high value buildings and properties within the City of Providence that we are sworn to protect such as; Amtrak's Northeast Rail Corridor, MBTA commuter service which runs through Providence, Interstates Route 95 and 195, and several colleges and universities and hospitals. The proximity of these multiple hazards exists nowhere else in New England and presents a real threat to the safety of the City of Providence. For this reason the department must maintain a strong hazardous material and flammable liquids response team as well as a well trained and equipped fire force.

In addition, the Providence Fire Department Fire Prevention Bureau continues to certify Assistant Deputy State Fire Marshals through the RI State Fire Marshal's office for the purpose of facilitating Fire Inspections and the Fire Review process.

The following is a list of the specific accomplishments that have been achieved this year through the cooperation and hard work of all the members of the Providence Fire Department:

1. A full scale employee evacuation drill at the Univar facility was conducted in June to ensure the safety of the employees and the Providence Fire Department responding to an incident at the facility.
2. All hydrant inspections were conducted in April 2014.
3. An ongoing plan was continued to train fire personnel in the use and operations of Marine 1 Task Force. The purpose for this training is to increase the number of Marine 1 operators in the Port of Providence. All members who received this training would be required to obtain a safe boating certificate from the Rhode Island Department of Environment Management. During the year 2014, our Fire Boat –Marine 1, was sent to Canada to be repowered and retooled by the manufacturer. This made the fire boat much more responsive and faster for any incidents occurring on the various waterways.
4. 16 Fire Department members and 6 Police Department members have now been trained for the Dive Team and it is a fully operational joint dive team with Fire Lieutenant Kevin Bross a former Navy diver as their Dive Master.
5. We conducted walkthroughs at the largest most hazardous locations in the city, Motiva, Univar, Enterprise and Dominion Energy.
6. In the month of May 2014, we conducted a Port of Providence evacuation drill. It was a large scale multi-agency, multi- jurisdictional exercise. The Providence Fire Department along with Cranston, Woonsocket and the DEM Civil Support Teams, to survey all of our remote monitoring capabilities for such areas as the LNG tanks on different properties.
7. In May 2014, the PFD attended the Continuity for First Responders Tabletop Exercise. This exercise sponsored by FEMA was geared toward Hurricane responses.

8. In October 2014, the PFD was part of a table top exercise which was conducted for training of responding to an Active Shooter at the Providence Place Mall.
9. During 2014, all of the Providence Fire Department's Hazardous Materials Teams started the process of being recertified. Both the Operations and Technicians Levels are continuing to be updated and the Decontamination Teams also.
10. The department implemented a new school survey program in Providence public and private schools which has been continued throughout 2014. The purpose of this program is threefold. The first is to make safety visits with the goal of insuring the safety of students, teachers and support staff which occupy the schools in the City of Providence. The second purpose is to give all firefighters and officers an opportunity to become more familiar with school floor plans, alarm systems, neighborhood access issues and building directors. Finally, the ability to increase the visibility of firefighters inside and outside school campuses.
11. In 2014, all the nightclubs were thoroughly inspected throughout the City of Providence.
12. A new Hurricane Operations and Standard Operating Procedure was adapted last year. The objective of this new procedure is to set up basic guidelines in preparation, staffing and operational responses during severe weather conditions which create a peak demand for emergency services. It is intended to prepare all our members to handle the increase in number of emergency responses during severe weather alerts.
13. In 2014 the PFD has continued utilizing the Image-Trend Electronic Patient Care Reporting System (ePCRS). The PCR's are reviewed on a daily basis and reviewed in our monthly Quality Assurance Meetings for accuracy and efficiency to ensure patient care and billing. Over the past year the division has made significant improvements in their proficiency of their PCR's which is reflected in the increased ALS conversion rates. Additional training and education in the emergency division has increased the knowledge and capabilities of our EMS personnel which has reflected in improved patient care and the ultimate goal, improved patient outcomes.
14. Our department worked on the Assistance to Firefighter Grant application for the year 2014. This grant will provide us a great opportunity to purchase equipment at a substantial cost saving budget. We will be applying for new SCBA's, electric lift stretchers, two rescue trucks and one used engine truck.
15. The following are some of the training and substantial purchases that were accomplished in 2014.

- 54 new Firefighters were hired in January
- 2 New Engine Trucks were purchased- 1 from a grant and 1 from Master Lease
- 1 New Rescue Truck was purchased- From the Master Lease
- A Port Security Grant of \$ 590,000, was used to purchase 1 of the Engine Trucks (Engine 13) located on Allens Avenue.
- An Assistance to Firefighters Grant for \$ 992,000, was used to replace all of the Self Contained Breathing Apparatus, and to purchase power stretchers for all 7 of our Rescues which helps us load and unload patients into and out of the Rescues more efficiently and much safer.
- A Port Security Grant of \$ 207,000, was used to purchase equipment and training for the Dive Team, and for Boat Operations Training.
- Co-located fire plan review intake and the DIS (Department of Inspections and Standards) to streamline permitting and create a single drop off point and pick up for members of the public.
- Created an educational partnership with Providence College for management and succession training for the future leadership of the department.
- Created the Providence Fire Department SWAT Medic Team to assist the PPD Swat Team for a much more efficient way of operations when EMS personnel are needed.
- Obtained the State's only Fire Department arson detection canine through State Farm Insurance Company.
- Upgraded and standardized our Rapid Intervention Team equipment and training used to rescue trapped firefighters.
- Replaced the PFD computer work stations throughout the fire stations.
- Celebrated the 160th Anniversary of the PFD on March 1st, 2014.
- Added the 7th Rescue which is located at the Admiral Street Fire Station.

- Started to redistrict the City map to accommodate the 7th Rescue.
- Revised our EMS Dispatch Policy in order to better serve the community and also ensure that Providence Rescues are available to respond to ALS calls for service.
- Continued with monthly Staff meetings with Chief, a PPD representative, a Repair Shop representative and a member of the communications division.
- Continued monthly meetings with the Fire Command Staff, Commissioner of Public Safety Steven Pare, and a Union Representative, to discuss and resolve any outstanding issues.

**ANNUAL CONSOLIDATED
COMPANY ACTIVITY
REPORTS**

TOTAL SERVICE IN 2014				
COMPANY	RUNS	MINUTES	HOURS	
ENGINE 2	2646	51563	859.38	
ENGINE 3	4481	69251	1154.18	
ENGINE 4	1281	23683	394.71	
ENGINE 5	1308	26404	440.06	
ENGINE 6	2126	43654	727.56	
ENGINE 7	3111	58614	976.9	
ENGINE 8	4038	64707	1078.45	
ENGINE 9	2232	40176	669.6	
ENGINE 10	2824	42819	713.65	
ENGINE 11	1920	35953	599.21	
ENGINE 12	3548	61663	1027.71	
ENGINE 13	2084	37761	629.35	
ENGINE 14	3323	59845	997.41	
ENGINE 15	3309	59484	991.4	
SH1	1670	32207	536.78	
LADDER 1	2014	33321	555.35	
LADDER 2	1424	22351	372.51	
LADDER 3	1243	21834	363.9	
LADDER 4	1813	35897	598.28	
LADDER 5	1215	22797	379.95	
LADDER 6	1453	27289	454.81	
LADDER 7	1043	19258	320.96	
LADDER 8	1245	23702	395.03	
TOTALS	51351	914233	15237.14	

BOX ALARMS IN 2014					
COMPANY	FIRE	FALSE	OTHER		TOTAL
ENGINE 2	48	382	227		657
ENGINE 3	48	615	580		1243
ENGINE 4	12	83	345		440
ENGINE 5	36	65	486		587
ENGINE 6	39	225	134		398
ENGINE 7	135	407	499		1041
ENGINE 8	124	473	306		903
ENGINE 9	35	475	417		927
ENGINE 10	75	77	257		409
ENGINE 11	142	195	545		882
ENGINE 12	29	232	238		499
ENGINE 13	18	231	165		414
ENGINE 14	116	419	396		931
ENGINE 15	36	424	227		687
SH1	43	6	79		128
LADDER 1	79	790	558		1427
LADDER 2	94	167	384		645
LADDER 3	41	125	178		344
LADDER 4	132	496	467		1095
LADDER 5	22	228	215		465
LADDER 6	39	196	378		613
LADDER 7	21	201	201		423
LADDER 8	53	293	281		627
TOTALS	1417	6805	7563		15785

NUMBER OF EMS RUNS 2014				
COMPANY	CARDIAC	MEDICAL	OTHER	TOTAL
ENGINE 2	250	956	219	1425
ENGINE 3	141	1890	357	2388
ENGINE 4	110	326	187	623
ENGINE 5	30	285	158	473
ENGINE 6	174	825	220	1219
ENGINE 7	118	961	346	1425
ENGINE 8	298	1976	172	2446
ENGINE 9	74	685	66	825
ENGINE 10	179	1311	223	1713
ENGINE 11	81	657	178	916
ENGINE 12	294	1354	609	2257
ENGINE 13	87	511	545	1143
ENGINE 14	74	1380	174	1628
ENGINE 15	125	1580	214	1919
SH1	0	33	24	57
LADDER 1	18	205	111	334
LADDER 2	23	144	75	242
LADDER 3	27	210	110	347
LADDER 4	15	135	45	195
LADDER 5	18	113	72	203
LADDER 6	8	83	61	152
LADDER 7	30	97	65	192
LADDER 8	14	66	38	118
TOTALS	2188	15783	4269	22240

NUMBER OF FALSE ALARM IN 2014				
COMPANY	MALICIOUS	OTHER	TOTAL	
ENGINE 2	119	51	170	
ENGINE 3	221	48	269	
ENGINE 4	30	30	60	
ENGINE 5	21	12	33	
ENGINE 6	229	43	272	
ENGINE 7	96	31	127	
ENGINE 8	284	52	336	
ENGINE 9	75	10	85	
ENGINE 10	88	22	110	
ENGINE 11	151	17	168	
ENGINE 12	221	25	246	
ENGINE 13	117	25	142	
ENGINE 14	313	35	348	
ENGINE 15	377	54	431	
SH1	16	6	22	
LADDER 1	102	22	124	
LADDER 2	107	31	138	
LADDER 3	77	29	106	
LADDER 4	69	94	163	
LADDER 5	88	32	120	
LADDER 6	111	22	133	
LADDER 7	31	19	50	
LADDER 8	36	14	50	
TOTALS	2979	724	3703	

NUMBER OF FIRE RUNS IN 2014				
COMPANY	STRUCTURE	VEHICLE	OTHER	TOTAL
ENGINE 2	57	9	119	185
ENGINE 3	131	15	172	318
ENGINE 4	24	4	33	61
ENGINE 5	111	5	40	156
ENGINE 6	102	5	80	187
ENGINE 7	182	10	155	347
ENGINE 8	202	21	96	319
ENGINE 9	51	3	76	130
ENGINE 10	141	6	95	242
ENGINE 11	83	17	86	186
ENGINE 12	59	12	187	258
ENGINE 13	36	7	60	103
ENGINE 14	150	22	240	412
ENGINE 15	83	12	85	180
SH1	217	13	147	377
LADDER 1	123	11	132	266
LADDER 2	105	13	107	225
LADDER 3	105	11	39	155
LADDER 4	171	10	103	284
LADDER 5	95	13	74	182
LADDER 6	145	12	79	236
LADDER 7	52	5	55	112
LADDER 8	75	4	93	172
TOTALS	2500	240	2353	5093

NUMBER OF GOOD INTENT RUNS 2014				
COMPANY	SMOKE SCORE		OTHER	TOTAL
ENGINE 2	40		78	118
ENGINE 3	52		103	155
ENGINE 4	14		19	33
ENGINE 5	27		39	66
ENGINE 6	29		97	126
ENGINE 7	43		56	99
ENGINE 8	43		73	116
ENGINE 9	32		57	89
ENGINE 10	28		54	82
ENGINE 11	63		98	161
ENGINE 12	36		81	117
ENGINE 13	44		42	86
ENGINE 14	51		51	102
ENGINE 15	66		61	127
SH1	86		78	164
LADDER 1	16		45	61
LADDER 2	121		47	168
LADDER 3	49		45	94
LADDER 4	75		22	97
LADDER 5	48		55	103
LADDER 6	45		148	193
LADDER 7	59		32	91
LADDER 8	62		29	91
TOTALS	1129		1410	2539

	A	B	C	D	E	F	G
1	HOSE USED BY FOOTAGE IN 2014						
2							
3	COMPANY	5 IN Hose	3 IN. Hose	2.5 IN Hose	1.75 IN Hose	.75 IN Hose	Total
4							
5	ENGINE 2	4250	500	800	12000	2385	19935
6	ENGINE 3	2252	600	850	9150	5040	17892
7	ENGINE 4	1000	1300	150	4050	2200	8700
8	ENGINE 5	0	200	0	1950	1200	3350
9	ENGINE 6	3200	1600	450	12250	4165	21665
10	ENGINE 7	4150	2050	400	29550	7650	43800
11	ENGINE 8	5800	3650	1550	48900	52665	112565
12	ENGINE 9	100	1000	300	24050	2840	28290
13	ENGINE 10	900	1500	900	17100	3750	24150
14	ENGINE 11	0	3425	500	9450	2790	16165
15	ENGINE 12	2550	200	150	11350	13870	28120
16	ENGINE 13	1175	550	350	19600	2700	24375
17	ENGINE 14	15000	2000	1000	21550	6400	45950
18	ENGINE 15	2525	1205	0	12200	6300	22230
19	SH1	0	0	0	0	0	0
20	LADDER 1	0	0	0	0	0	0
21	LADDER 2	0	0	0	0	0	0
22	LADDER 3	0	0	0	0	0	0
23	LADDER 4	0	0	0	0	0	0
24	LADDER 5	0	0	0	0	0	0
25	LADDER 6	0	0	0	0	0	0
26	LADDER 6	0	0	0	0	0	0
27	LADDER 7	0	0	0	0	0	0
28	LADDER 8	0	0	0	0	0	0
29							
30	TOTALS	42902	19780	7400	233150	113955	417187

NUMBERS OF LADDERS USED BY FOOTAGE IN 2014							
COMPANY	AERIAL	EXTENSION	STRAIGHT	FOLDING	ROOF	COMBO	TOTAL
ENGINE 2	0	52	0	370	44	0	466
ENGINE 3	0	112	0	48	16	0	176
ENGINE 4	0	0	0	36	0	0	36
ENGINE 5	0	70	0	18	16	0	104
ENGINE 6	0	100	0	78	88	0	266
ENGINE 7	0	28	0	62	16	0	106
ENGINE 8	0	76	0	119	14	0	209
ENGINE 9	0	0	0	30	0	0	30
ENGINE 10	0	0	0	0	16	0	16
ENGINE 11	0	276	0	40	32	0	348
ENGINE 12	0	28	0	68	16	0	112
ENGINE 13	0	110	0	49	14	0	173
ENGINE 14	0	238	0	54	108	0	400
ENGINE 15	0	76	0	52	50	0	178
SH1	0	0	0	0	0	0	0
LADDER 1	2015	800	62	226	34	45	3182
LADDER 2	3571	759	423	212	180	0	5145
LADDER 3	5330	332	224	190	219	50	6295
LADDER 4	3721	833	163	464	272	125	5578
LADDER 5	6365	499	277	114	188	0	7443
LADDER 6	6255	202	464	202	128	20	7271
LADDER 7	2420	423	166	370	78	95	3552
LADDER 8	4355	790	352	342	362	40	6241
TOTALS	34032	5804	2131	3144	1891	375	47377

NUMBER OF NON FIRE RUNS IN 2014						
COMPANY	LOCK OUT/IN	WATER EMERG	ACCIDENTAL	DEFECTIVE	OTHER	TOTAL
ENGINE 2	5	33	348	147	99	632
ENGINE 3	36	36	594	248	276	1190
ENGINE 4	4	14	247	80	96	441
ENGINE 5	0	13	197	128	186	524
ENGINE 6	9	19	79	60	56	223
ENGINE 7	35	41	427	192	263	958
ENGINE 8	11	24	355	221	97	708
ENGINE 9	29	24	445	335	215	1048
ENGINE 10	8	34	283	184	40	549
ENGINE 11	3	10	186	105	110	414
ENGINE 12	19	29	233	189	75	545
ENGINE 13	3	23	190	120	213	549
ENGINE 14	5	57	321	150	218	751
ENGINE 15	16	34	181	102	201	534
SH1	177	20	70	125	177	569
LADDER 1	49	36	388	226	413	1112
LADDER 2	48	15	309	119	87	578
LADDER 3	70	7	140	112	120	449
LADDER 4	48	52	388	239	201	928
LADDER 5	58	15	232	139	88	532
LADDER 6	98	15	377	167	74	731
LADDER 7	39	23	233	137	116	548
LADDER 8	36	25	340	225	112	738
TOTALS	806	599	6563	3750	3533	15251

OTHER EQUIPMENT USED IN 2014							
COMPANY	SCBA	MASTER APPL	EXTINGUISHER	FOAM	OXYGEN	AED	
ENGINE 2	601	2	126	1	417	3	
ENGINE 3	380	0	7	0	189	22	
ENGINE 4	98	0	6	0	103	7	
ENGINE 5	197	0	4	0	37	7	
ENGINE 6	1050	3	13	0	244	25	
ENGINE 7	1070	2	17	1	460	20	
ENGINE 8	1324	4	88	0	418	239	
ENGINE 9	1088	0	12	0	115	55	
ENGINE 10	391	0	4	0	176	77	
ENGINE 11	183	1	1	1	125	7	
ENGINE 12	330	0	41	1	560	38	
ENGINE 13	659	1	4	2	277	107	
ENGINE 14	551	1	15	1	458	6	
ENGINE 15	341	2	10	0	275	10	
SH1	715	0	0	0	0	0	
LADDER 1	303	5	16	0	41	0	
LADDER 2	784	7	57	0	72	0	
LADDER 3	504	1	64	0	74	0	
LADDER 4	675	7	99	0	39	0	
LADDER 5	660	7	24	0	52	0	
LADDER 6	931	3	25	0	15	0	
LADDER 7	176	2	15	0	52	0	
LADDER 8	988	5	98	0	22	0	
TOTALS	13999	53	746	7	4221	623	

PUMP TIME IN 2014					
COMPANY			TOTAL OF PUMP MINUTES		HOURS
ENGINE 2			2842		47.3
ENGINE 3			992		16.5
ENGINE 4			725		12
ENGINE 5			172		2.8
ENGINE 6			1392		23.2
ENGINE 7			1068		17.8
ENGINE 8			5311		88.5
ENGINE 9			627		10.4
ENGINE 10			1645		27.4
ENGINE 11			949		15.8
ENGINE 12			2663		44.2
ENGINE 13			997		16.6
ENGINE 14			2545		42.4
ENGINE 15			1450		24.1
TOTALS			23378		389

NUMBER OF SPILL/LEAK RUNS IN 2014						
COMPANY			SPILL/LEAK		OTHER	TOTAL
ENGINE 2			3		5	8
ENGINE 3			13		9	22
ENGINE 4			10		2	12
ENGINE 5			3		5	8
ENGINE 6			9		13	22
ENGINE 7			13		2	15
ENGINE 8			7		4	11
ENGINE 9			9		6	15
ENGINE 10			6		6	12
ENGINE 11			5		2	7
ENGINE 12			15		9	24
ENGINE 13			6		3	9
ENGINE 14			18		4	22
ENGINE 15			15		3	18
SH1			236		91	327
LADDER 1			5		14	19
LADDER 2			12		22	34
LADDER 3			28		24	52
LADDER 4			18		9	27
LADDER 5			17		18	35
LADDER 6			30		58	88
LADDER 7			16		13	29
LADDER 8			20		21	41
TOTALS			514		343	857

PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT
Reporting Company

ANNUAL TOTALS	
Service Time Minutes	Runs
32207	1670

SH1

Annual Report for 2014

	Minutes	Runs
FIRE	11944	377
Structure	10354	217
Vehicle	118	13
Other	1472	147
EMS	1033	57
Cardiac	0	0
Medical Aid	636	33
Other	397	24
HAZMAT	6759	327
Spill/Leak	4901	236
Other	1858	91
NON-FIRE	8757	569
Lockout/In	2959	177
Water Emer	370	20
Accidental	772	70
Defective	1870	125
Other	2786	177
GOOD INTENT	2268	164
Smoke Scare	1103	86
Other	1165	78
FALSE	253	22
Malicious	138	16
Other	115	6
RELOCATIONS	0	0

Air Bags	0
Air Cart	0
Air Tools	5
Computer	1
Confined Space	0
Cribbing	9
Hose	2
Hot Stick	12
Ram	5
Jaws	17
Ladders	7
Phd Meter	73
Other Gas Meter	392
Plugging Mat'ls	6
Rope Rescue	2
Saws	13
Stokes	0
TI Camera	210
Hand Tools	493
Power Tools	17
Torch/Slice Pak	1
Water Rescue	12

Box Type

Fire	43
False	6
Other	179

Extractions

Vehicle	62
Elevator	146
Other	17

Nbr of People Extracted

Vehicle	68
Elevator	341
Other	32

SCBA INFO

Used	715
Changed	16

CO Runs	286
Gas Runs	170

Auto Lockouts
54

SPEEDI DRI

Bags Used	26
-----------	----

PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

ANNUAL TOTALS	
Service Time Minutes	Runs
51563	2646

Reporting Engine Company

Engine 2

Annual Report for 2014

	Minutes	Runs
FIRE	5621	185
Structure	3485	57
Vehicle	316	9
Other	1820	119
EMS	32257	1425
Cardiac	6613	250
Medical Aid	21282	956
Other	4362	219
HAZMAT	440	8
Spill/Leak	152	3
Other	288	5
NON-FIRE	9160	632
Lockout/In	109	5
Water Emer	1202	33
Accidental	4049	348
Defective	2147	147
Other	1653	99
GOOD INTENT	1660	118
Smoke Scare	458	40
Other	1202	78
FALSE	1521	170
Malicious	999	119
Other	522	51
RELOCATION	258	7

EQUIPMENT USED

Pump Minutes	2842
<u>Nbr of Feet Used</u>	
Hose 5"	4250
Hose 3"	500
Hose 2.5"	800
Hose 1.75"	12000
Hose .75"	2385
<u>Nbr Used</u>	
Scba	601
<u>Nbr of Times Used</u>	
Master Appl	2
Extinguisher	126
Foam	1
Oxygen	417
AED	3
Generator	3
Port Pump	5
FirstAid Bag	1263
CO2 Meter	3
Misc Tools	1351
<u>Nbr of Feet Used</u>	
Ldr Extension	52
Ldr Roof	44
Ldr Folding	370
<u>Box Type</u>	
Fire	48
False	382
Other	227

PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

ANNUAL TOTALS	
Service Time Minutes	Runs
69251	4481

Reporting Engine Company

Engine 3

Annual Report for 2014

	Minutes	Runs
FIRE	10321	318
Structure	7410	131
Vehicle	425	15
Other	2486	172
EMS	38242	2388
Cardiac	2857	141
Medical Aid	30522	1890
Other	4863	357
HAZMAT	765	22
Spill/Leak	399	13
Other	366	9
NON-FIRE	15093	E+03
Lockout/In	642	36
Water Emer	964	36
Accidental	6146	594
Defective	3379	248
Other	3962	276
GOOD INTENT	1808	155
Smoke Scare	682	52
Other	1126	103
FALSE	2267	269
Malicious	1683	221
Other	584	48
RELOCATION	3	1

EQUIPMENT USED

Pump Minutes	992
<u>Nbr of Feet Used</u>	
Hose 5"	2252
Hose 3"	600
Hose 2.5"	850
Hose 1.75"	9150
Hose .75"	5040
<u>Nbr Used</u>	
Scba	380
<u>Nbr of Times Used</u>	
Master Appl	0
Extinguisher	7
Foam	0
Oxygen	189
AED	22
Generator	0
Port Pump	0
FirstAid Bag	1528
CO2 Meter	1
Misc Tools	1311
<u>Nbr of Feet Used</u>	
Ldr Extension	112
Ldr Roof	16
Ldr Folding	48
<u>Box Type</u>	
Fire	48
False	615
Other	580

PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

ANNUAL TOTALS	
Service Time Minutes	Runs
23683	1281

Reporting Engine Company

Engine 4

Annual Report for 2014

	Minutes	Runs
FIRE	2581	61
Structure	1740	24
Vehicle	52	4
Other	789	33
EMS	14058	623
Cardiac	2774	110
Medical Aid	7639	326
Other	3645	187
HAZMAT	411	12
Spill/Leak	334	10
Other	77	2
NON-FIRE	5316	441
Lockout/In	65	4
Water Emer	413	14
Accidental	2631	247
Defective	1014	80
Other	1193	96
GOOD INTENT	502	33
Smoke Scare	170	14
Other	332	19
FALSE	472	60
Malicious	192	30
Other	280	30
RELOCATION	49	2

EQUIPMENT USED

Pump Minutes	725
<u>Nbr of Feet Used</u>	
Hose 5"	1000
Hose 3"	1300
Hose 2.5"	150
Hose 1.75"	4050
Hose .75"	2200
<u>Nbr Used</u>	
Scba	98
<u>Nbr of Times Used</u>	
Master Appl	0
Extinguisher	6
Foam	0
Oxygen	103
AED	7
Generator	4
Port Pump	2
FirstAid Bag	337
CO2 Meter	1
Misc Tools	396
<u>Nbr of Feet Used</u>	
Ldr Extension	0
Ldr Roof	0
Ldr Folding	36
<u>Box Type</u>	
Fire	12
False	83
Other	345

PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

ANNUAL TOTALS	
Service Time Minutes	Runs
26404	1308

Reporting Engine Company

Engine 5

Annual Report for 2014

	<u>Minutes</u>	<u>Runs</u>
FIRE	7457	156
Structure	6379	111
Vehicle	144	5
Other	934	40
EMS	10608	473
Cardiac	813	30
Medical Aid	6484	285
Other	3311	158
HAZMAT	291	8
Spill/Leak	146	3
Other	145	5
NON-FIRE	6366	524
Lockout/In	0	0
Water Emer	300	13
Accidental	1959	197
Defective	1652	128
Other	2455	186
GOOD INTENT	1079	66
Smoke Scare	422	27
Other	657	39
FALSE	270	33
Malicious	159	21
Other	111	12
RELOCATION	35	1

EQUIPMENT USED

Pump Minutes	172
<u>Nbr of Feet Used</u>	
Hose 5"	0
Hose 3"	200
Hose 2.5"	0
Hose 1.75"	1950
Hose .75"	1200
<u>Nbr Used</u>	
Scba	197
<u>Nbr of Times Used</u>	
Master Appl	0
Extinguisher	4
Foam	0
Oxygen	37
AED	7
Generator	1
Port Pump	1
FirstAid Bag	264
CO2 Meter	0
Misc Tools	461
<u>Nbr of Feet Used</u>	
Ldr Extension	70
Ldr Roof	16
Ldr Folding	18
<u>Box Type</u>	
Fire	36
False	65
Other	486

PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

ANNUAL TOTALS	
Service Time Minutes	Runs
43654	2126

Reporting Engine Company

Engine 6

Annual Report for 2014

	Minutes	Runs
FIRE	5651	187
Structure	4229	102
Vehicle	133	5
Other	1289	80
EMS	28526	1219
Cardiac	5180	174
Medical Aid	18578	825
Other	4768	220
HAZMAT	790	22
Spill/Leak	299	9
Other	491	13
NON-FIRE	3580	223
Lockout/In	211	9
Water Emer	532	19
Accidental	913	79
Defective	989	60
Other	935	56
GOOD INTENT	2008	126
Smoke Scare	403	29
Other	1605	97
FALSE	2568	272
Malicious	1952	229
Other	616	43
RELOCATION	178	2

EQUIPMENT USED

Pump Minutes	1392
<u>Nbr of Feet Used</u>	
Hose 5"	3200
Hose 3"	1600
Hose 2.5"	450
Hose 1.75"	12250
Hose .75"	4165
<u>Nbr Used</u>	
Scba	1050
<u>Nbr of Times Used</u>	
Master Appl	3
Extinguisher	13
Foam	0
Oxygen	244
AED	25
Generator	5
Port Pump	3
FirstAid Bag	1033
CO2 Meter	10
Misc Tools	891
<u>Nbr of Feet Used</u>	
Ldr Extension	100
Ldr Roof	88
Ldr Folding	78
<u>Box Type</u>	
Fire	39
False	225
Other	134

PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

ANNUAL TOTALS	
Service Time Minutes	Runs
58614	3111

Reporting Engine Company

Engine 7

Annual Report for 2014

	Minutes	Runs
FIRE	10427	347
Structure	7703	182
Vehicle	355	10
Other	2369	155
EMS	28251	1425
Cardiac	2756	118
Medical Aid	19504	961
Other	5991	346
HAZMAT	427	15
Spill/Leak	271	13
Other	156	2
NON-FIRE	13327	958
Lockout/In	734	35
Water Emer	1143	41
Accidental	5279	427
Defective	2855	192
Other	3316	263
GOOD INTENT	1596	99
Smoke Scare	750	43
Other	846	56
FALSE	1329	127
Malicious	1022	96
Other	307	31
RELOCATION	2707	36

EQUIPMENT USED

Pump Minutes	1068
<u>Nbr of Feet Used</u>	
Hose 5"	4150
Hose 3"	2050
Hose 2.5"	400
Hose 1.75"	29550
Hose .75"	7650
<u>Nbr Used</u>	
Scba	1070
<u>Nbr of Times Used</u>	
Master Appl	2
Extinguisher	17
Foam	1
Oxygen	460
AED	20
Generator	0
Port Pump	2
FirstAid Bag	1099
CO2 Meter	17
Misc Tools	1341
<u>Nbr of Feet Used</u>	
Ldr Extension	28
Ldr Roof	16
Ldr Folding	62
<u>Box Type</u>	
Fire	135
False	407
Other	499

PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

ANNUAL TOTALS	
Service Time Minutes	Runs
64707	4038

Reporting Engine Company

Engine 8

Annual Report for 2014

	<u>Minutes</u>	<u>Runs</u>
<u>FIRE</u>	<u>10637</u>	<u>319</u>
Structure	8058	202
Vehicle	746	21
Other	1833	96
<u>EMS</u>	<u>41055</u>	<u>2446</u>
Cardiac	5969	298
Medical Aid	32586	1976
Other	2500	172
<u>HAZMAT</u>	<u>280</u>	<u>11</u>
Spill/Leak	158	7
Other	122	4
<u>NON-FIRE</u>	<u>8540</u>	<u>708</u>
Lockout/In	146	11
Water Emer	577	24
Accidental	3754	355
Defective	2956	221
Other	1107	97
<u>GOOD INTENT</u>	<u>1414</u>	<u>116</u>
Smoke Scare	625	43
Other	789	73
<u>FALSE</u>	<u>2382</u>	<u>336</u>
Malicious	1869	284
Other	513	52
<u>RELOCATION</u>	<u>11</u>	<u>2</u>

EQUIPMENT USED

Pump Minutes	531163
<u>Nbr of Feet Used</u>	
Hose 5"	5800
Hose 3"	3650
Hose 2.5"	1550
Hose 1.75"	48900
Hose .75"	52665
<u>Nbr Used</u>	
Scba	1324
<u>Nbr of Times Used</u>	
Master Appl	4
Extinguisher	88
Foam	0
Oxygen	418
AED	239
Generator	2
Port Pump	1
FirstAid Bag	2184
CO2 Meter	7
Misc Tools	2287
<u>Nbr of Feet Used</u>	
Ldr Extension	76
Ldr Roof	14
Ldr Folding	119
<u>Box Type</u>	
Fire	124
False	473
Other	306

PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

ANNUAL TOTALS	
Service Time Minutes	Runs
40176	2232

Reporting Engine Company

Engine 9

Annual Report for 2014

	Minutes	Runs
FIRE	4202	130
Structure	2655	51
Vehicle	52	3
Other	1495	76
EMS	18231	825
Cardiac	2017	74
Medical Aid	14920	685
Other	1294	66
HAZMAT	610	15
Spill/Leak	340	9
Other	270	6
NON-FIRE	14759	E+03
Lockout/In	563	29
Water Emer	692	24
Accidental	4888	445
Defective	5193	335
Other	3423	215
GOOD INTENT	1135	89
Smoke Scare	494	32
Other	641	57
FALSE	880	85
Malicious	761	75
Other	119	10
RELOCATION	124	2

EQUIPMENT USED

Pump Minutes	627
<u>Nbr of Feet Used</u>	
Hose 5"	100
Hose 3"	1000
Hose 2.5"	300
Hose 1.75"	24050
Hose .75"	2840
<u>Nbr Used</u>	
Scba	1088
<u>Nbr of Times Used</u>	
Master Appl	0
Extinguisher	12
Foam	0
Oxygen	115
AED	55
Generator	0
Port Pump	2
FirstAid Bag	470
CO2 Meter	2
Misc Tools	586
<u>Nbr of Feet Used</u>	
Ldr Extension	0
Ldr Roof	0
Ldr Folding	30
<u>Box Type</u>	
Fire	35
False	475
Other	417

PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

ANNUAL TOTALS	
Service Time Minutes	Runs
42819	2824

Reporting Engine Company

Engine 10

Annual Report for 2014

	Minutes	Runs
FIRE	6700	242
Structure	5097	141
Vehicle	186	6
Other	1417	95
EMS	27656	1713
Cardiac	3922	179
Medical Aid	20943	1311
Other	2791	223
HAZMAT	260	12
Spill/Leak	76	6
Other	184	6
NON-FIRE	5813	549
Lockout/In	122	8
Water Emer	481	34
Accidental	2511	283
Defective	2137	184
Other	562	40
GOOD INTENT	859	82
Smoke Scare	330	28
Other	529	54
FALSE	875	110
Malicious	700	88
Other	175	22
RELOCATION	30	1

EQUIPMENT USED

Pump Minutes	1645
Nbr of Feet Used	
Hose 5"	900
Hose 3"	1500
Hose 2.5"	900
Hose 1.75"	17100
Hose .75"	3750
Nbr Used	
Scba	391
Nbr of Times Used	
Master Appl	0
Extinguisher	4
Foam	0
Oxygen	176
AED	77
Generator	0
Port Pump	0
FirstAid Bag	1077
CO2 Meter	0
Misc Tools	325
Nbr of Feet Used	
Ldr Extension	0
Ldr Roof	16
Ldr Folding	0
Box Type	
Fire	75
False	77
Other	257

PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

ANNUAL TOTALS	
Service Time Minutes	Runs
35953	1920

Reporting Engine Company

Engine 11

Annual Report for 2014

	<u>Minutes</u>	<u>Runs</u>
FIRE	6449	186
Structure	4712	83
Vehicle	388	17
Other	1349	86
EMS	19243	916
Cardiac	2214	81
Medical Aid	13620	657
Other	3409	178
HAZMAT	412	7
Spill/Leak	219	5
Other	193	2
NON-FIRE	5762	414
Lockout/In	45	3
Water Emer	174	10
Accidental	1833	186
Defective	1324	105
Other	2386	110
GOOD INTENT	2138	161
Smoke Scare	676	63
Other	1462	98
FALSE	1245	168
Malicious	1059	151
Other	186	17
RELOCATION	288	6

EQUIPMENT USED

Pump Minutes	949
<u>Nbr of Feet Used</u>	
Hose 3"	3425
Hose 2.5"	500
Hose 1.75"	9450
Hose .75"	2790
<u>Nbr Used</u>	
Scba	183
<u>Nbr of Times Used</u>	
Master Appl	1
Extinguisher	1
Foam	1
Oxygen	125
AED	7
Generator	0
Port Pump	1
FirstAid Bag	654
CO2 Meter	1
Misc Tools	283
<u>Nbr of Feet Used</u>	
Ldr Extension	276
Ldr Roof	32
Ldr Folding	40
<u>Box Type</u>	
Fire	142
False	195
Other	545

PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

ANNUAL TOTALS	
Service Time Minutes	Runs
61663	3548

Reporting Engine Company

Engine 12

Annual Report for 2014

	<u>Minutes</u>	<u>Runs</u>
FIRE	6761	258
Structure	3505	59
Vehicle	388	12
Other	2868	187
EMS	42663	2257
Cardiac	7248	294
Medical Aid	26183	1354
Other	9232	609
HAZMAT	546	24
Spill/Leak	338	15
Other	208	9
NON-FIRE	7808	545
Lockout/In	257	19
Water Emer	879	29
Accidental	2613	233
Defective	2837	189
Other	1222	75
GOOD INTENT	1424	117
Smoke Scare	425	36
Other	999	81
FALSE	1754	246
Malicious	1437	221
Other	317	25
RELOCATION	220	2

EQUIPMENT USED

Pump Minutes	2663
<u>Nbr of Feet Used</u>	
Hose 5"	2550
Hose 3"	200
Hose 2.5"	150
Hose 1.75"	11350
Hose .75"	13870
<u>Nbr Used</u>	
Scba	330
<u>Nbr of Times Used</u>	
Master Appl	0
Extinguisher	41
Foam	1
Oxygen	560
AED	38
Generator	0
Port Pump	2
FirstAid Bag	1661
CO2 Meter	13
Misc Tools	1608
<u>Nbr of Feet Used</u>	
Ldr Extension	28
Ldr Roof	16
Ldr Folding	68
<u>Box Type</u>	
Fire	29
False	232
Other	238

PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

ANNUAL TOTALS	
Service Time Minutes	Runs
37761	2084

Reporting Engine Company

Engine 13

Annual Report for 2014

	<u>Minutes</u>	<u>Runs</u>
FIRE	4059	103
Structure	2539	36
Vehicle	222	7
Other	1298	60
EMS	22595	1143
Cardiac	2041	87
Medical Aid	10109	511
Other	10445	545
HAZMAT	251	9
Spill/Leak	183	6
Other	68	3
NON-FIRE	8009	549
Lockout/In	54	3
Water Emer	525	23
Accidental	2097	190
Defective	1933	120
Other	3400	213
GOOD INTENT	1040	86
Smoke Scare	505	44
Other	535	42
FALSE	1199	142
Malicious	887	117
Other	312	25
RELOCATION	390	22

EQUIPMENT USED

Pump Minutes	997
Nbr of Feet Used	
Hose 5"	1175
Hose 3"	550
Hose 2.5"	350
Hose 1.75"	19600
Hose .75"	2700
Nbr Used	
Scba	659
Nbr of Times Used	
Master Appl	1
Extinguisher	4
Foam	2
Oxygen	277
AED	107
Generator	0
Port Pump	4
FirstAid Bag	734
CO2 Meter	7
Misc Tools	594
Nbr of Feet Used	
Ldr Extension	110
Ldr Roof	14
Ldr Folding	49
Box Type	
Fire	18
False	231
Other	165

PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

ANNUAL TOTALS	
Service Time Minutes	Runs
59845	3323

Reporting Engine Company

Engine 14

Annual Report for 2014

	Minutes	Runs
FIRE	11951	412
Structure	7569	150
Vehicle	555	22
Other	3827	240
EMS	30915	1628
Cardiac	1690	74
Medical Aid	26150	1380
Other	3075	174
HAZMAT	751	22
Spill/Leak	696	18
Other	55	4
NON-FIRE	10977	751
Lockout/In	74	5
Water Emer	1419	57
Accidental	4068	321
Defective	2241	150
Other	3175	218
GOOD INTENT	1647	102
Smoke Scare	963	51
Other	684	51
FALSE	3144	348
Malicious	2637	313
Other	507	35
RELOCATION	60	1

EQUIPMENT USED

Pump Minutes	2545
<u>Nbr of Feet Used</u>	
Hose 5"	15000
Hose 3"	2000
Hose 2.5"	1000
Hose 1.75"	21550
Hose .75"	6400
<u>Nbr Used</u>	
Scba	551
<u>Nbr of Times Used</u>	
Master Appl	1
Extinguisher	15
Foam	1
Oxygen	458
AED	6
Generator	0
Port Pump	1
FirstAid Bag	1221
CO2 Meter	0
Misc Tools	664
<u>Nbr of Feet Used</u>	
Ldr Extension	238
Ldr Roof	108
Ldr Folding	54
<u>Box Type</u>	
Fire	116
False	419
Other	396

PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

ANNUAL TOTALS	
Service Time Minutes	Runs
59484	3309

Reporting Engine Company

Engine 15

Annual Report for 2014

	<u>Minutes</u>	<u>Runs</u>
FIRE	5810	180
Structure	4140	83
Vehicle	358	12
Other	1312	85
EMS	39950	1919
Cardiac	3190	125
Medical Aid	33026	1580
Other	3734	214
HAZMAT	554	18
Spill/Leak	483	15
Other	71	3
NON-FIRE	7824	534
Lockout/In	336	16
Water Emer	811	34
Accidental	2193	181
Defective	1416	102
Other	3068	201
GOOD INTENT	1730	127
Smoke Scare	894	66
Other	836	61
FALSE	2912	431
Malicious	2400	377
Other	512	54
RELOCATION	236	5

EQUIPMENT USED

Pump Minutes	1450
<u>Nbr of Feet Used</u>	
Hose 5"	2525
Hose 3"	1205
Hose 2.5"	0
Hose 1.75"	12200
Hose .75"	6300
<u>Nbr Used</u>	
Scba	341
<u>Nbr of Times Used</u>	
Master Appl	2
Extinguisher	10
Foam	0
Oxygen	275
AED	10
Generator	0
Port Pump	1
FirstAid Bag	1501
CO2 Meter	5
Misc Tools	1140
<u>Nbr of Feet Used</u>	
Ldr Extension	76
Ldr Roof	50
Ldr Folding	52
<u>Box Type</u>	
Fire	36
False	424
Other	227

PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

Reporting Ladder Company

Ladder 1

Annual Report for 2014

ANNUAL TOTALS	
Service Time Minutes	Runs
33321	2014

	Minutes	Runs
FIRE	9329	266
Structure	7012	123
Vehicle	223	11
Other	2094	132
EMS	6068	334
Cardiac	365	18
Medical Aid	3815	205
Other	1888	111
HAZMAT	619	19
Spill/Leak	139	5
Other	480	14
NON-FIRE	1E+04	E+03
Lockout/In	954	49
Water Emer	990	36
Accidental	4371	388
Defective	3097	226
Other	5457	413
GOOD INTENT	780	61
Smoke Scare	189	16
Other	591	45
FALSE	1252	124
Malicious	954	102
Other	298	22
RELOCATIONS	21	5

EQUIPMENT USED

	Number of Feet Used
Aerial	2015
Extension	800
Straight	62
Roof	34
Folding	226
Combination	45

	Number Used
Scba	303

	Number of Times Used
LadderPipe	5
Extinguisher	16
Foam	0
Oxygen	41
Generator	3
Smoke Ejt	21
Port Pump	3
Scene Light	8
Jaws	0
K12	8
Qvent	10
FirstAid Bag	216
CO2 Meter	40
Misc Tools	685

Lockout/in Type

Building	21
Auto	4
Elevator	24

Box Type

Fire	79
False	490
Other	558

PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

Reporting Ladder Company

Ladder 2

Annual Report for 2014

ANNUAL TOTALS	
Service Time Minutes	Runs
22351	1424

	Minutes	Runs
FIRE	7403	225
Structure	5750	105
Vehicle	303	13
Other	1350	107
EMS	4288	242
Cardiac	510	23
Medical Aid	2490	144
Other	1288	75
HAZMAT	801	34
Spill/Leak	311	12
Other	490	22
NON-FIRE	6744	578
Lockout/In	762	48
Water Emer	551	15
Accidental	2737	309
Defective	1516	119
Other	1178	87
GOOD INTENT	1847	168
Smoke Scare	1250	121
Other	597	47
FALSE	1045	138
Malicious	774	107
Other	271	31
RELOCATIONS	54	2

EQUIPMENT USED

	Number of Feet Used
Aerial	3571
Extension	759
Straight	423
Roof	180
Folding	212
Combination	0

	Number Used
Scba	784

	Number of Times Used
LadderPipe	7
Extinguisher	57
Foam	0
Oxygen	72
Generator	4
Smoke Ejt	25
Port Pump	1
Scene Light	9
Jaws	0
K12	9
Qvent	16
FirstAid Bag	153
CO2 Meter	67
Misc Tools	366

Lockout/in Type

Building	33
Auto	6
Elevator	1

Box Type

Fire	94
False	167
Other	384

PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

Reporting Ladder Company

Ladder 3

Annual Report for 2014

ANNUAL TOTALS	
Service Time Minutes	Runs
21834	1243

	Minutes	Runs
FIRE	5075	155
Structure	4392	105
Vehicle	115	11
Other	568	39
EMS	6273	347
Cardiac	627	27
Medical Aid	3834	210
Other	1812	110
HAZMAT	1068	52
Spill/Leak	537	28
Other	531	24
NON-FIRE	6733	449
Lockout/In	1146	70
Water Emer	198	7
Accidental	1719	140
Defective	1611	112
Other	2059	120
GOOD INTENT	1369	94
Smoke Scare	688	49
Other	681	45
FALSE	939	106
Malicious	636	77
Other	303	29
RELOCATIONS	158	2

EQUIPMENT USED

	Number of Feet Used
Aerial	5330
Extension	332
Straight	224
Roof	190
Folding	219
Combination	50

	Number Used
Scba	504

	Number of Times Used
LadderPipe	1
Extinguisher	64
Foam	0
Oxygen	74
Generator	13
Smoke Ejt	41
Port Pump	0
Scene Light	28
Jaws	1
K12	4
Qvent	17
FirstAid Bag	215
CO2 Meter	115
Misc Tools	324

Lockout/in Type	
Building	28
Auto	9
Elevator	10

Box Type	
Fire	41
False	125

PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

Other

178

PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

Reporting Ladder Company

Ladder 4

Annual Report for 2014

ANNUAL TOTALS	
Service Time Minutes	Runs
35897	1813

	Minutes	Runs
FIRE	8441	284
Structure	6754	171
Vehicle	226	10
Other	1461	103
EMS	3841	195
Cardiac	303	15
Medical Aid	2779	135
Other	759	45
HAZMAT	663	27
Spill/Leak	477	18
Other	186	9
NON-FIRE	1E+04	928
Lockout/In	984	48
Water Emer	1486	52
Accidental	4715	388
Defective	3662	239
Other	3491	201
GOOD INTENT	1507	97
Smoke Scare	1171	75
Other	336	22
FALSE	2017	163
Malicious	906	69
Other	1111	94
RELOCATIONS	4798	57

EQUIPMENT USED

	Number of Feet Used
Aerial	3721
Extension	833
Straight	163
Roof	272
Folding	464
Combination	125

	Number Used
Scba	675

	Number of Times Used
LadderPipe	7
Extinguisher	99
Foam	0
Oxygen	39
Generator	6
Smoke Ejt	60
Port Pump	5
Scene Light	117
Jaws	0
K12	14
Qvent	23
FirstAid Bag	141
CO2 Meter	55
Misc Tools	1036

<u>Lockout/in Type</u>	
Building	10
Auto	3
Elevator	35

<u>Box Type</u>	
Fire	132
False	496

PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

Other

467

PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

Reporting Ladder Company

Ladder 5

Annual Report for 2014

ANNUAL TOTALS	
Service Time Minutes	Runs
22797	1215

	Minutes	Runs
FIRE	7139	182
Structure	5449	95
Vehicle	399	13
Other	1291	74
EMS	3766	203
Cardiac	405	18
Medical Aid	2051	113
Other	1310	72
HAZMAT	808	35
Spill/Leak	445	17
Other	363	18
NON-FIRE	7694	532
Lockout/In	911	58
Water Emer	402	15
Accidental	2863	232
Defective	2170	139
Other	1348	88
GOOD INTENT	1721	103
Smoke Scare	770	48
Other	951	55
FALSE	1432	120
Malicious	948	88
Other	484	32
RELOCATIONS	40	2

EQUIPMENT USED

	Number of Feet Used
Aerial	6365
Extension	499
Straight	277
Roof	188
Folding	114
Combination	0

	Number Used
Scba	660

	Number of Times Used
LadderPipe	7
Extinguisher	24
Foam	0
Oxygen	52
Generator	1
Smoke Ejt	28
Port Pump	0
Scene Light	15
Jaws	0
K12	6
Qvent	13
FirstAid Bag	134
CO2 Meter	77
Misc Tools	665

<u>Lockout/in Type</u>	
Building	35
Auto	8
Elevator	6

<u>Box Type</u>	
Fire	22
False	228

PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

Other

215

PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

Reporting Ladder Company

Ladder 6

Annual Report for 2014

ANNUAL TOTALS	
Service Time Minutes	Runs
27289	1453

	Minutes	Runs
FIRE	8866	236
Structure	7356	145
Vehicle	255	12
Other	1255	79
EMS	3082	152
Cardiac	180	8
Medical Aid	1869	83
Other	1033	61
HAZMAT	2198	88
Spill/Leak	690	30
Other	1508	58
NON-FIRE	1E+04	731
Lockout/In	1881	98
Water Emer	405	15
Accidental	4533	377
Defective	2604	167
Other	1160	74
GOOD INTENT	940	63
Smoke Scare	657	45
Other	283	18
FALSE	1262	133
Malicious	1013	111
Other	249	22
RELOCATIONS	111	1

<u>EQUIPMENT USED</u>	
	<u>Number of Feet Used</u>
Aerial	6255
Extension	202
Straight	464
Roof	128
Folding	202
Combination	20
	<u>Number Used</u>
Scba	931
	<u>Number of Times Used</u>
LadderPipe	3
Extinguisher	25
Foam	0
Oxygen	15
Generator	2
Smoke Ejt	17
Port Pump	1
Scene Light	8
Jaws	0
K12	23
Qvent	32
FirstAid Bag	54
CO2 Meter	111
Misc Tools	552
	<u>Lockout/in Type</u>
Building	43
Auto	7
Elevator	13
	<u>Box Type</u>
Fire	39
False	196

PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

Other

378

PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

Reporting Ladder Company

Ladder 7

Annual Report for 2014

ANNUAL TOTALS	
Service Time Minutes	Runs
19258	1043

	Minutes	Runs
FIRE	4304	112
Structure	3362	52
Vehicle	60	5
Other	882	55
EMS	4150	192
Cardiac	698	30
Medical Aid	2140	97
Other	1312	65
HAZMAT	833	29
Spill/Leak	398	16
Other	435	13
NON-FIRE	7973	548
Lockout/In	753	39
Water Emer	891	23
Accidental	2380	233
Defective	1803	137
Other	2146	116
GOOD INTENT	1268	91
Smoke Scare	720	59
Other	548	32
FALSE	485	50
Malicious	280	31
Other	205	19
RELOCATIONS	172	3

EQUIPMENT USED

	<u>Number of Feet Used</u>
Aerial	2420
Extension	423
Straight	166
Roof	78
Folding	370
Combination	95

	<u>Number Used</u>
Scba	176

	<u>Number of Times Used</u>
LadderPipe	2
Extinguisher	15
Foam	0
Oxygen	52
Generator	9
Smoke Ejt	23
Port Pump	4
Scene Light	28
Jaws	0
K12	6
Qvent	11
FirstAid Bag	132
CO2 Meter	85
Misc Tools	641

<u>Lockout/in Type</u>	
Building	13
Auto	3
Elevator	7

<u>Box Type</u>	
Fire	21
False	201

PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

Other

201

PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

Reporting Ladder Company

Ladder 8

Annual Report for 2014

ANNUAL TOTALS	
Service Time Minutes	Runs
23702	1245

	Minutes	Runs
FIRE	5705	172
Structure	3768	75
Vehicle	56	4
Other	1881	93
EMS	2569	118
Cardiac	369	14
Medical Aid	1496	66
Other	704	38
HAZMAT	1329	41
Spill/Leak	786	20
Other	543	21
NON-FIRE	11760	738
Lockout/In	723	36
Water Emer	983	25
Accidental	4244	340
Defective	3927	225
Other	1883	112
GOOD INTENT	1536	91
Smoke Scare	1066	62
Other	470	29
FALSE	586	50
Malicious	434	36
Other	152	14
RELOCATIONS	42	1

EQUIPMENT USED

	Number of Feet Used
Aerial	4355
Extension	790
Straight	352
Roof	362
Folding	342
Combination	40

	Number Used
Scba	988

	Number of Times Used
LadderPipe	5
Extinguisher	98
Foam	0
Oxygen	22
Generator	11
Smoke Ejt	40
Port Pump	3
Scene Light	29
Jaws	0
K12	17
Qvent	14
FirstAid Bag	81
CO2 Meter	66
Misc Tools	597

Lockout/in Type

Building	15
Auto	2
Elevator	20

Box Type

Fire	53
False	293

PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

Other

281

PROVIDENCE FIRE DIVISION OF TRAINING



2014 ANNUAL REPORT

JORGE O ELORZA
MAYOR

STEVEN PARE
COMMISSIONER
OF PUBLIC SAFETY

CLARENCE CUNHA
CHIEF OF DEPARTMENT



PROVIDENCE FIRE DEPARTMENT

*Division of Training
274 Reservoir Avenue
Providence, RI 02907*



Steven M. Pare'
Commissioner of Public Safety

Clarence A. Cunha
Chief of Department

Garrison Roun, Captain
Director of Training

21 January 2015

Chief, The Division of Training continues to provide quality training, certifications, and recertifications to the members of the Providence Fire Department, whether it is working with the newest firefighters or veteran firefighters. All fire department members continue with monthly and annual training which is either given at the Division of Training or in the field by the Division of Training. Some of the training may be joint ventures utilizing experts in various fields, such as a live wire demonstration with National Grid, or a mock train disaster with Amtrak. The Division of Training strides to keep all firefighters up to date and trained in many areas to the highest level possible using the best resources available to us.

The following is a list of the training and activities which took place either at or with the Division of Training during the year of 2014.

JANUARY 2014

- 50th Academy Graduation
- Prepare monthly training topics
- CPR Recertification
- Prepare EMT-B and EMT-C recertification
- Prepare Mayday program
- Begin to deliver Mayday program
- 49th Academy HazMat Operations
- Build new DOT offices

FEBRUARY 2014

- Prepare monthly training topics
- CPR Recertification
- Prepare EMT-B and EMT-C recertification
- Continue to deliver Mayday program
- Complete office rebuild

MARCH 2014

- Prepare monthly training topics
- Work on RIT program
- Work on self rescue program
- Work on RIT courses
- Work self rescue courses
- Work on promotional information

APRIL 2014

- Prepare monthly training topics
- EMT recertification continues
- Prepare promotional matrixes
- Nozzles memo
- Blitz Fire nozzle information
- Gaseous Fuel school
- Work on RIT courses
- Work self rescue courses
- Mayday drills
- RIT drills
- Self Rescue drills
- Point school make-ups
- Foam drill

MAY 2014

- Prepare monthly training topics
- Prepare for promotional tests
- EMT recertification continues
- RIT drills
- Self Rescue drills
- Mayday drills
- Table top exercise with Amtrack

JUNE 2014

- Prepare monthly training topics

- Prepare for promotional tests
- EMT recertification continues
- RIT drills
- Self Rescue drills
- Mayday drills
- Positive Pressure Fan Class

July 2014

- Prepare monthly training topics
- Prepare for promotional tests
- EMT recertification continues
- RIT drills
- Self Rescue drills
- Mayday drills
- Work on training prop buildings
- Motiva – Fire extinguishing system
- Flow testing of new nozzles

AUGUST 2014

- Prepare monthly training topics
- Attend EMA class
- Live Wire training with National Grid
- Begin groundwork for new recruit academy
- Establish a committee for revamping SOP's, Training Bulletins, and Rule Book
- EMT recertification ongoing
- Plan for forestry training

SEPTEMBER 2014

- Prepare monthly training topics
- Prep for up coming academy
- Lt's School planning
- Captains School planning
- Prepare for Rescue Captains exam
- Prepare for Fire Prevention Captains exam
- Prepare for upcoming Lt's exam

- Plan for point school
- Attend EMA class
- Attend Recruitment committee meeting
- EMT Recertification – ongoing
- SOP committee established and meeting

OCTOBER 2014

- Prepare monthly training topics
- Prepare for new training academy
- EMT Recertification ongoing
- Prepare for DAC's test
- Plan for point school
- SOP meetings continue
- Meeting with Lawyers – recruitment booklet
- Ebola
- Annual Hose Test - started

NOVEMBER 2014

- Prepare monthly training topics
- Fire Lt's School
- Battalion Chiefs School
- DAC's Test
- Ebola
- Gaseous Fueled Vehicle for First Responder Class
- Management Meeting
- Air Supply Standing Bid
- Fire Lt's Test
- HazMat scheduling
- EMS recertification ongoing
- SOP meetings continue

DECEMBER 2014

- Prepare monthly training topics
- DAC's Chiefs Test
- HazMat scheduling
- Lt's Test results
- DAC's Test results
- Point School planning / unplanning / re-planning

- EMS recertification ongoing
- One computer system upgraded
- Working on new data bases for electronic Matrixes
- Working on new data bases for electronic Point School info

Sincerely,

Garrison Roun
Director of Training
Providence Fire Department
(401) 781-3439 Office
(401) 941-5430 Fax
pfddot@providenceri.com or
groun@providenceri.com

**PROVIDENCE FIRE
DEPARTMENT
DIVISION OF EMS**



2014 ANNUAL REPORT

**JORGE O ELORZA
MAYOR**

**STEVEN PARE
COMMISSIONER
OF PUBLIC SAFTEY**

**CLARENCE CUNHA
CHIEF OF DEPARTMENT**

2014 RESCUE 1

Runs by Provider Impression

Provider Impression	# of Times	% of Times
Abdominal Aortic Aneurysm	1	0.03%
Abdominal Pain/Problems	238	6.13%
Abuse / Neglect	1	0.03%
Airway Obstruction	5	0.13%
Allergic Reaction	32	0.82%
Altered Level of Consciousness	140	3.61%
Ambiguous Genitalia	1	0.03%
Amputation	2	0.05%
Anaphylaxis	2	0.05%
Anxiety Reaction/Emotional Upset	106	2.73%
Apnea	3	0.08%
Apparent Life-Threatening Event (ALTE)	1	0.03%
ARDS (Acute respiratory distress syndrome)	2	0.05%
Asthma	57	1.47%
Avulsion	1	0.03%
Back Pain (Non-Traumatic)	51	1.31%
Behavioral/Psychiatric Disorder	114	2.94%
Blood emesis/vomit	3	0.08%
Blood feces	1	0.03%
Bowel Obstruction	2	0.05%
Bradycardia	5	0.13%
Bronchiolitis	2	0.05%
Burn	3	0.08%
Burns - Thermal	4	0.10%
Cancer	1	0.03%
Cardiac - Chest Pain	126	3.25%
Cardiac - Supraventricular Tachycardia	5	0.13%
Cardiac - Symptomatic Bradycardia	2	0.05%
Cardiac Arrest	9	0.23%
Cardiac Arrest - Asystole	7	0.18%
Cardiac Arrest - Pulseless Electrical Activity	1	0.03%
Cardiac Rhythm Disturbance	15	0.39%
Chest Pain/Discomfort	119	3.07%
CHF (Congestive Heart Failure)	6	0.15%
Chronic Lung Disease	4	0.10%
COPD (Emphysema/Chronic Bronchitis)	30	0.77%
Croup	1	0.03%
Crush Injury	1	0.03%
Cyanosis	1	0.03%
Dehydration	2	0.05%
Diabetic Hyperglycemia	21	0.54%
Diabetic Symptoms (Hypoglycemia)	28	0.72%

2014 RESCUE 1

Diarrhea	5	0.13%
Dislocation	4	0.10%
Displaced Fracture: Closed	4	0.10%
Dizziness	74	1.91%
DKA (Diabetic ketoacidosis)	3	0.08%
Epistaxis (Non-Traumatic)	7	0.18%
ETOH	165	4.25%
ETOH Abuse	54	1.39%
Eye Injury	5	0.13%
Facial Injuries	28	0.72%
Febrile Seizure	14	0.36%
Fever	19	0.49%
Flank / Groin Pain	8	0.21%
Flu Like Illness	60	1.55%
Foreign Body Airway Obstruction	1	0.03%
G.I. Bleed	3	0.08%
General Malaise	6	0.15%
GI Blood-Emesis (578.0)	1	0.03%
GI Blood-Feces (578.1)	1	0.03%
GI Bowel Changes (787.99)	2	0.05%
GI-Nausea & Vomiting (787.01)	21	0.54%
GI-Nausea ONLY (787.02)	2	0.05%
GI-Vomiting ONLY (787.03)	6	0.15%
GI/GU	6	0.15%
GU-Urinary Pain (788.1)	3	0.08%
Gun Shot Wound/Open Wound	9	0.23%
Head Injury	51	1.31%
Head Injury – Open Scalp	9	0.23%
Headache	35	0.90%
Heat Exhaustion/Stroke	1	0.03%
Hemorrhage - Non-Traumatic	9	0.23%
Hemorrhage - Traumatic	5	0.13%
Hypertension	22	0.57%
Hypotension	7	0.18%
Hypothermia	2	0.05%
Hypoxia	1	0.03%
Laceration	58	1.49%
Medication Reaction	5	0.13%
Migraine	5	0.13%
Nausea/Vomiting (Unknown Etiology)	41	1.06%
Near Syncope	7	0.18%
Newborn in Distress	1	0.03%
No Apparent Illness/Injury	38	0.98%
Normal Newborn	1	0.03%
Not Applicable	6	0.15%

2014 RESCUE 1

Not Known	3	0.08%
OB/Delivery	16	0.41%
OB/GYN-Vag Disch. (623.5)	9	0.23%
Obvious Death	18	0.46%
Other	55	1.42%
Other - Medical	85	2.19%
Other - Trauma	10	0.26%
Other Abdominal/GI Problem	2	0.05%
Other Cardiovascular Problem	2	0.05%
Other G.I. Symptoms	3	0.08%
Other Illness/Injury	10	0.26%
Other OB/Gyn	6	0.15%
Overdose - Drug / Medication	65	1.67%
Overdose - ETOH	1	0.03%
Overdose - Inhalant	1	0.03%
Pain	187	4.82%
Pain - Chest (Non-Cardiac)	2	0.05%
Palpitations	13	0.33%
Patient Assist Only	2	0.05%
Pneumonia	3	0.08%
Poisoning/Drug Ingestion	2	0.05%
Pre-Term Labor	4	0.10%
Pregnancy/OB Delivery	5	0.13%
Prematurity	1	0.03%
Rectal Bleeding	2	0.05%
Respiratory Arrest	1	0.03%
Respiratory Distress	103	2.65%
Respiratory Distress - Pulmonary Edema	2	0.05%
Seizure	127	3.27%
Sexual Assault/Rape	5	0.13%
Shingles	1	0.03%
Shunt Malfunction	3	0.08%
Sickle Cell Crisis	2	0.05%
Smoke Inhalation	2	0.05%
Sprain / Strain	8	0.21%
STEMI	1	0.03%
Stroke/CVA	21	0.54%
Substance Abuse-Withdrawl ETOH (291.81/305.00)	3	0.08%
Substance/Drug Abuse	2	0.05%
Syncope/Fainting	77	1.98%
Tachypnea	3	0.08%
Testicular Torsion	2	0.05%
TIA (Transient Ischemic Attack)	2	0.05%
Toxic Exposure	2	0.05%
TRAUMA MAJOR - Extremities	9	0.23%

2014 RESCUE 1

TRAUMA MAJOR - Head/Neck	21	0.54%
TRAUMA MAJOR - Torso	17	0.44%
Trauma Minor - Head/Neck (959.8/959.01)	127	3.27%
Trauma Minor - Torso (959.8/922.9)	73	1.88%
Trauma Minor-Extremities (959.8/924.9)	94	2.42%
Traumatic Injury	19	0.49%
Traumatic Injury - Abdomen	1	0.03%
Traumatic Injury - C-Spine	3	0.08%
Traumatic Injury - Chest	1	0.03%
Traumatic Injury - Spinal	8	0.21%
Unconscious	23	0.59%
Unknown Problem	8	0.21%
Vaginal Hemorrhage	5	0.13%
Vehicle Accident - No Injury	4	0.10%
Vertigo	4	0.10%
Weakness	68	1.75%
Unknown	551	14.20%
Total	3881	100%

2014 RESCUE 1

Runs by Response Disposition

Response Disposition	# of Times	% of Times
Cancelled	323	8.32%
Cancelled, En-route	39	1.00%
Cancelled, On-Scene - No Patient Contact	17	0.44%
Dead at Scene	22	0.57%
Evaluated & Alternate Transport - Private Ambulance (No Treatment)	5	0.13%
False Call / False Alarm	8	0.21%
No Patient Found	53	1.37%
No Treatment Required	11	0.28%
Patient Refused Care	149	3.84%
Public Assist	19	0.49%
Standby Only - No Patient Contacts	73	1.88%
Treated and Refused Transport	122	3.14%
Treated, Transported by EMS (ALS)	1569	40.43%
Treated, Transported by EMS (BLS)	1463	37.70%
Unable to Locate Patient/Scene	8	0.21%
Unknown	0	0.00%
Total	3881	100%

2014 RESCUE 1

Runs by Dispatch Reason

Dispatch Reason	# of Times	% of Times
911 Hang-Up	2	0.05%
Abdominal Pain	180	4.64%
Allergies	11	0.28%
Altered Mental Status	79	2.04%
Anaphylactic Reaction	23	0.59%
Animal Bite	5	0.13%
Apnea	2	0.05%
Appendicitis	1	0.03%
Aspiration	1	0.03%
Assault	116	2.99%
Assault - Sexual	5	0.13%
Assist Other Agency	1	0.03%
Asthma Exacerbation	19	0.49%
Auto vs. Pedestrian	26	0.67%
Back Pain (Non-Traumatic/Non-Recent Trauma)	27	0.70%
Bleeding	62	1.60%
Bowel Obstruction	1	0.03%
Bradycardia	3	0.08%
Bronchiolitis	1	0.03%
Burns	8	0.21%
Cardiac Arrest	1	0.03%
Cardiac Arrest - Possible DOA	12	0.31%
Cardiac Dysrhythmia	5	0.13%
Chest Pain	306	7.88%
CHF	1	0.03%
Choking	14	0.36%
Chronic Illness/Medical Condition	1	0.03%
Chronic Lung Disease	1	0.03%
CO Poisoning/Hazmat	1	0.03%
Cyanosis	1	0.03%
Dehydration	7	0.18%
Diabetic Problem	88	2.27%
Difficulty Breathing	335	8.63%
DKA	2	0.05%
Epistaxis (Nosebleed)	8	0.21%
ETOH	135	3.48%
Eye Problem / Injury	5	0.13%
Fall Victim	198	5.10%
Fever	35	0.90%
Fire Standby	64	1.65%
Foreign Body Airway Obstruction	1	0.03%

2014 RESCUE 1

Fracture	8	0.21%
Gastroenteritis	1	0.03%
General Fire Department Call	6	0.15%
GI Bleed	4	0.10%
Gunshot	8	0.21%
Hanging	2	0.05%
HAZMAT Standby	3	0.08%
Head Injury	21	0.54%
Headache	35	0.90%
Heart Problems	6	0.15%
Heat/Cold Exposure	1	0.03%
Hemorrhage/Laceration	9	0.23%
Hyperglycemia	3	0.08%
Hypertension	29	0.75%
Hypoglycemia	1	0.03%
Hypotension	16	0.41%
Hypothermia	2	0.05%
Industrial Accident/Inaccessible Incident/Other Entrapments (Non-Vehicle)	2	0.05%
Ingestion/Poisoning	5	0.13%
Machine/equipment Injury	3	0.08%
MCI (Multiple Casualty Incident)	1	0.03%
Medical Alarm	6	0.15%
Medical Evaluation/Blood Draw/UA	5	0.13%
Medical Transport	7	0.18%
Medication Reaction (Not Allergic)	8	0.21%
Motor Vehicle Accident	357	9.20%
Motorcycle Collision	9	0.23%
Mutual Aid-Medical	5	0.13%
Nausea/Vomiting	80	2.06%
Other	173	4.46%
Overdose	82	2.11%
Pain	124	3.20%
Penetrating Wounds	3	0.08%
Person ILL	26	0.67%
Pregnancy/Childbirth	40	1.03%
Prematurity	3	0.08%
Psychiatric Problems	133	3.43%
Public Service	1	0.03%
Respiratory Distress	6	0.15%
Seizure/Convulsions	171	4.41%
Sickle Cell Crisis	2	0.05%
Stab/Gunshot Wound	9	0.23%
Stabbing	8	0.21%
Standby	11	0.28%
Stroke/CVA	38	0.98%

2014 RESCUE 1

Structure Fire	41	1.06%
Suicide Threat/Attempt	26	0.67%
Syncopal Episode	60	1.55%
Tachycardia	11	0.28%
Testicular Torsion	1	0.03%
Traumatic Injury	8	0.21%
Unconscious/Fainting	65	1.67%
Unknown Problem/Man Down	219	5.64%
Unresponsive	71	1.83%
Urinary problem	10	0.26%
Walkin (EMS Related)	4	0.10%
Welfare Check	8	0.21%
Unknown	90	2.32%
Total	3881	100%

2014 RESCUE 1

Runs by Cause of Injury

Cause of Injury	# of Runs	% of Runs
Animal	2	0.05%
Assault	74	1.91%
Athletic or Sports Related Injury	10	0.26%
Behavioral Problems	2	0.05%
Bicycle Accident	8	0.21%
Bites	4	0.10%
Caught in/between Objects	1	0.03%
Chemical Burns	3	0.08%
Cut/Pierce	9	0.23%
ETOH - Ingestion	2	0.05%
Excessive Heat	2	0.05%
Explosion	1	0.03%
Fall from Bed	4	0.10%
Fall from Seated Position	14	0.36%
Fall from Standing Position	157	4.05%
Falls	29	0.75%
Fire and Flames	2	0.05%
Fire/Flame Burns	4	0.10%
Firearm Assault	12	0.31%
Foreign body entering eye/orifice	3	0.08%
Machinery Accidents	3	0.08%
Motor Vehicle Non-Traffic Accident	7	0.18%
Motor Vehicle Traffic Accident	220	5.67%
Motor Vehicle vs Pedestrian Accident	18	0.46%
Motorcycle accident	5	0.13%
Motorcycle Accident (E81X.1)	3	0.08%
Not Applicable	5	0.13%
Not Available	1	0.03%
Not Known	6	0.15%
Not Recorded	1	0.03%
Other Injury	21	0.54%
Overexertion	1	0.03%
Pedestrian Traffic Accident	2	0.05%
Seizure - Suspected	4	0.10%
Seizure - Witnessed	5	0.13%
Sexual Assault	4	0.10%
Skateboard/Scooter/Skating Accident	1	0.03%
Smoke Inhalation	1	0.03%
Stabbing/Cutting Accidental (E986.0)	3	0.08%
Stabbing/Cutting Assault	6	0.15%
Struck by Blunt/Thrown Object (E968.2)	9	0.23%
Struck by or Against	7	0.18%

2014 RESCUE 1

Suicide Attempt	12	0.31%
Syncope	11	0.28%
Unknown	3182	81.99%
Total	3881	100%

2014 RESCUE 1

Procedure Administered

Procedure Name	#	%
12 Lead ECG-Obtain	198	5.05%
12 Lead ECG-Transmitted	120	3.04%
Airway - Intubation Confirm Lung Field Auscultation	4	0.10%
Airway - Intubation Confirm Waveform Capnography	1	0.03%
Airway - Manual	3	0.08%
Airway-Bagged (via BVMask)	19	0.46%
Airway-Bagged (via tube)	2	0.05%
Airway-EOA/EGTA	1	0.03%
Airway-Nasopharyngeal	1	0.03%
Airway-Nebulizer Treatment	40	1.03%
Airway-Oropharyngeal	19	0.46%
Airway-Suctioning	3	0.08%
Airway-Verification	2	0.05%
Assessment-Adult	959	24.56%
Assessment-Neonatal	2	0.05%
Assessment-Pediatric	80	2.06%
Bleeding/Hemorrhage Control	55	1.39%
Blood Glucose Analysis	1329	33.96%
Blood Pressure	1506	37.23%
Burn Care	4	0.10%
Carbon Monoxide Monitoring Device	1	0.03%
Cardiac Monitor	968	24.81%
Childbirth	1	0.03%
Compression Bandage	13	0.33%
Contact Medical Control	92	2.37%
CPR-Start Compressions and Ventilations	13	0.33%
CPR-Start Rescue Breathing without Compressions	2	0.05%
Decontamination	1	0.03%
Defibrillation-Manual	2	0.05%
Defibrillation-Placement for Monitoring/Analysis	2	0.05%
Extrication	1	0.03%
Fluid Challenge	1	0.03%
Ice Pack Application	45	1.16%
Injections-SQ/IM	4	0.10%
IV Access Extremity - NS 250cc tko	200	5.08%
ME - Medication Administered	258	6.60%
Obtain Patient History	1006	25.77%
Other	5	0.13%
Patient Cooling (Cold Pack, etc.)	2	0.05%
Pulse Oximetry	1423	36.20%
Radio Report to ER	181	4.66%

2014 RESCUE 1

Restraints-Physical	5	0.13%
Specialty Center Activation-Adult Trauma	6	0.15%
Specialty Center Activation-Cardiac Arrest	2	0.05%
Specialty Center Activation-Pediatric Trauma	4	0.10%
Specialty Center Activation-STEMI	3	0.08%
Specialty Center Activation-Stroke	5	0.13%
Spinal Assessment - Deficits Noted	7	0.18%
Spinal Assessment - No Deficits Noted	132	3.38%
Spinal Immobilization	66	1.70%
Spinal Immobilization - Long Back Board	323	8.25%
Spinal Immobilization - Rigid Cervical Collar	343	8.84%
Spinal Immobilization - Standing Take-Down	30	0.77%
Spinal Immobilization - Pediatric	12	0.31%
Splinting	13	0.33%
Splinting-Traction	1	0.03%
Stair Chair	75	1.88%
Stimulation of Child	1	0.03%
Stokes Basket	1	0.03%
Temperature Measurement	88	2.27%
Vagal Maneuver-Carotid Massage	1	0.03%
Valsalva Maneuver	1	0.03%
Venous Access-Blood Draw	1	0.03%
Venous Access-Extremity	873	17.29%
Venous Access-Intraosseous Adult	2	0.05%
Venous Access-Saline Lock	4	0.10%
Wound Care	106	2.73%
Wound Care - Burn Care	3	0.08%
Wound Care - Pressure Dressing	38	0.93%
Wound Care - Vasaline Gauze	1	0.03%
Wound Care-Irrigation	10	0.26%
Wound Care-Trauma Pack	1	0.03%
None	1554	40.04%

2014 RESCUE 1

Medication Administered

Medication Name	#	%
Acetaminophen	7	0.18%
Adenosine	10	0.15%
Adenosine 12 mg	1	0.03%
Albuterol Sulfate	58	1.47%
Aspirin (ASA)	149	3.84%
Atropine Sulfate	2	0.05%
Atrovent (Ipratropium Bromide)	18	0.46%
Dextrose 25% (D25)	1	0.03%
Dextrose 50% (D50)	15	0.39%
Diphenhydramine (Benadryl)	14	0.36%
DuoNeb (0.5 Atrovent/3.0 Albuterol)	74	1.73%
Epinephrine 1:1,000	1	0.03%
Epinephrine 1:10,000	23	0.33%
Epinephrine 1:1000	6	0.13%
Glucagon	11	0.28%
Glucose (Oral)	15	0.33%
Lactated Ringers	3	0.08%
Midazolam (Versed)	4	0.08%
Morphine Sulfate	8	0.21%
Naloxone (Narcan)	83	1.26%
Nitroglycerin	1	0.03%
Nitroglycerin Tabs	124	2.86%
Normal Saline	493	10.44%
Normal Saline-IV-250CC	53	1.34%
Oxygen (non-rebreather mask)	329	8.48%
Oxygen BVM	21	0.52%
Oxygen by Blow By	4	0.10%
Oxygen by Nasal Cannula	281	7.21%
Oxygen by Nebulizer	54	1.39%
Solu-Cortef (Hydrocortisone)	12	0.31%
Thiamine	2	0.05%
None	2923	75.32%

2014 RESCUE 1

Transport Hospital

Destination	# of Runs	% of Runs
Hasbro Children's Hospital	272	7.01%
Kent Hospital	12	0.31%
Memorial Hospital of Rhode Island	5	0.13%
Miriam Hospital	171	4.41%
Not Applicable	2	0.05%
Not Recorded	1	0.03%
Providence VA Medical Center	6	0.15%
Rhode Island Hospital	2347	60.47%
Roger Williams Medical Center	95	2.45%
St. Joseph's Hospital -- Fatima Unit	26	0.67%
VA Medical Center	13	0.33%
Women & Infants Hospital	90	2.32%
No Destination	841	21.67%
Total	3881	100%

2014 Rescue 2

Runs by Provider Impression

Provider Impression	# of Times	% of Times
Abdominal Pain/Problems	295	7.89%
Abuse / Neglect	4	0.11%
Airway Obstruction	3	0.08%
Allergic Reaction	10	0.27%
Altered Level of Consciousness	83	2.22%
Anaphylaxis	7	0.19%
Anxiety Reaction/Emotional Upset	144	3.85%
Apnea	3	0.08%
Asthma	63	1.68%
Avulsion	2	0.05%
Back Pain (Non-Traumatic)	63	1.68%
Behavioral/Psychiatric Disorder	82	2.19%
Birth-Baby (650)	3	0.08%
Birth-Mom (650)	1	0.03%
Blood emesis/vomit	1	0.03%
Blood feces	1	0.03%
Bowel Obstruction	1	0.03%
Bradycardia	2	0.05%
Bronchiolitis	7	0.19%
Burn	3	0.08%
Burns - Thermal	2	0.05%
Cancer	5	0.13%
Cardiac - Chest Pain	94	2.51%
Cardiac - Supraventricular Tachycardia	3	0.08%
Cardiac Arrest	8	0.21%
Cardiac Arrest - Asystole	6	0.16%
Cardiac Arrest - Pulseless Electrical Activity	3	0.08%
Cardiac Rhythm Disturbance	6	0.16%
Chest Pain/Discomfort	159	4.25%
CHF (Congestive Heart Failure)	4	0.11%
Chronic Lung Disease	8	0.21%
COPD (Emphysema/Chronic Bronchitis)	29	0.78%
Croup	3	0.08%
Crush Injury	4	0.11%
Dehydration	10	0.27%
Diabetic Hyperglycemia	25	0.67%
Diabetic Symptoms (Hypoglycemia)	31	0.83%
Diarrhea	4	0.11%
Dislocation	9	0.24%
Displaced Fracture: Closed	4	0.11%
Displaced Fracture: Open	1	0.03%
Dizziness	56	1.50%

2014 Rescue 2

Environment - Bite/Sting/Cold/Hot	2	0.05%
Epistaxis (Non-Traumatic)	7	0.19%
ETOH	197	5.27%
ETOH Abuse	118	3.15%
Eye Injury	5	0.13%
Facial Injuries	17	0.45%
Febrile Seizure	3	0.08%
Fever	39	1.04%
Flail Chest	1	0.03%
Flank / Groin Pain	9	0.24%
Flu Like Illness	80	2.14%
Foreign Body Airway Obstruction	2	0.05%
G.I. Bleed	4	0.11%
General Malaise	3	0.08%
GI Blood-Emesis (578.0)	2	0.05%
GI-Nausea & Vomiting (787.01)	17	0.45%
GI-Nausea ONLY (787.02)	1	0.03%
GI-Vomiting ONLY (787.03)	3	0.08%
GI/GU	4	0.11%
GU-Urinary Pain (788.1)	1	0.03%
GU-Urinary Retention (788.20)	2	0.05%
Gun Shot Wound/Open Wound	6	0.16%
Head Injury	49	1.31%
Head Injury – Open Scalp	9	0.24%
Headache	38	1.02%
Heat Exhaustion/Stroke	2	0.05%
Hemorrhage - Non-Traumatic	9	0.24%
Hemorrhage - Traumatic	7	0.19%
Hypertension	25	0.67%
Hyperthermia	4	0.11%
Hypotension	12	0.32%
Inhalation Injury (Toxic Gas)	2	0.05%
Laceration	64	1.71%
Medication Reaction	3	0.08%
Migraine	3	0.08%
Myocardial Infarction, rule out	1	0.03%
Nausea/Vomiting (Unknown Etiology)	51	1.36%
Near Syncope	1	0.03%
No Apparent Illness/Injury	35	0.94%
Normal Newborn	1	0.03%
Not Applicable	11	0.29%
Not Known	6	0.16%
OB/Delivery	17	0.45%
OB/GYN-Vag Disch. (623.5)	14	0.37%
Obvious Death	20	0.53%

2014 Rescue 2

Other	86	2.30%
Other - Medical	86	2.30%
Other - Trauma	31	0.83%
Other Abdominal/GI Problem	1	0.03%
Other Cardiovascular Problem	3	0.08%
Other G.I. Symptoms	1	0.03%
Other Illness/Injury	12	0.32%
Other OB/Gyn	5	0.13%
Overdose - Drug / Medication	57	1.52%
Overdose - ETOH	4	0.11%
Overdose - Inhalant	2	0.05%
Pain	327	8.74%
Pain - Chest (Non-Cardiac)	5	0.13%
Palpitations	2	0.05%
Patient Assist Only	1	0.03%
Pneumonia	7	0.19%
Pre-Term Labor	3	0.08%
Pregnancy/OB Delivery	13	0.35%
Rectal Bleeding	4	0.11%
Respiratory Arrest	3	0.08%
Respiratory Distress	115	3.07%
Respiratory Distress - Pulmonary Edema	2	0.05%
Respiratory Failure	1	0.03%
Seizure	106	2.83%
Sepsis	1	0.03%
Sickle Cell Crisis	7	0.19%
SIDS (Sudden Infant Death Syndrome)	1	0.03%
Smoke Inhalation	1	0.03%
Sprain / Strain	2	0.05%
Stroke/CVA	26	0.70%
Substance Abuse-Withdrawal Drugs (292.9)	1	0.03%
Substance Abuse-Withdrawl ETOH (291.81/305.00)	1	0.03%
Substance/Drug Abuse	7	0.19%
Syncope/Fainting	52	1.39%
TIA (Transient Ischemic Attack)	2	0.05%
TRAUMA MAJOR - Extremities	4	0.11%
TRAUMA MAJOR - Head/Neck	5	0.13%
TRAUMA MAJOR - Torso	5	0.13%
Trauma Minor - Head/Neck (959.8/959.01)	41	1.10%
Trauma Minor - Torso (959.8/922.9)	11	0.29%
Trauma Minor-Extremities (959.8/924.9)	32	0.86%
Traumatic Injury	16	0.43%
Traumatic Injury - C-Spine	1	0.03%
Traumatic Injury - Chest	1	0.03%
Traumatic Injury - Spinal	4	0.11%

2014 Rescue 2

Unconscious	30	0.80%
Unknown Problem	29	0.78%
Vaginal Hemorrhage	5	0.13%
Vehicle Accident - No Injury	2	0.05%
Vertigo	7	0.19%
Weakness	118	3.15%
Unknown	293	7.83%
Total	3741	100%

2014 Rescue 2

Runs by Response Disposition

Response Disposition	# of Times	% of Times
Cancelled	124	3.31%
Cancelled, En-route	28	0.75%
Cancelled, On-Scene - No Patient Contact	15	0.40%
Dead at Scene	30	0.80%
Evaluated & Alternate Transport - Private Ambulance (No Treatment)	7	0.19%
False Call / False Alarm	7	0.19%
No Patient Found	14	0.37%
No Treatment Required	23	0.61%
Patient Refused Care	102	2.73%
Public Assist	33	0.88%
Standby Only - No Patient Contacts	24	0.64%
Treated and Refused Transport	97	2.59%
Treated, Transported by EMS (ALS)	1498	40.04%
Treated, Transported by EMS (BLS)	1731	46.27%
Unable to Locate Patient/Scene	8	0.21%
Unknown	0	0.00%
Total	3741	100%

2014 Rescue 2

Runs by Dispatch Reason

Dispatch Reason	# of Times	% of Times
911 Hang-Up	12	0.32%
Abdominal Pain	249	6.66%
Airway obstruction	3	0.08%
Allergies	15	0.40%
Altered Mental Status	90	2.41%
Ambiguous Genitalia	1	0.03%
Anaphylactic Reaction	12	0.32%
Animal Bite	7	0.19%
Apnea	1	0.03%
Apneic Episode	1	0.03%
Aspiration	1	0.03%
Assault	110	2.94%
Assist Other Agency	1	0.03%
Asthma Exacerbation	26	0.70%
Auto vs. Pedestrian	6	0.16%
Back Pain (Non-Traumatic/Non-Recent Trauma)	48	1.28%
Bleeding	64	1.71%
Bowel Obstruction	2	0.05%
Bradycardia	1	0.03%
Bronchiolitis	4	0.11%
Burns	7	0.19%
Cardiac Arrest	6	0.16%
Cardiac Arrest - Possible DOA	6	0.16%
Cardiac Dysrhythmia	5	0.13%
Chest Pain	303	8.10%
CHF	1	0.03%
Choking	14	0.37%
Chronic Illness/Medical Condition	5	0.13%
Chronic Lung Disease	2	0.05%
CO Poisoning/Hazmat	3	0.08%
Dehydration	11	0.29%
Diabetic Problem	83	2.22%
Difficulty Breathing	365	9.76%
DKA	1	0.03%
Epistaxis (Nosebleed)	9	0.24%
ETOH	220	5.88%
Eye Problem / Injury	3	0.08%
Fall Victim	226	6.04%
Fever	35	0.94%
Fire Standby	40	1.07%
Foreign Body Airway Obstruction	1	0.03%

2014 Rescue 2

Fracture	12 0.32%
General Fire Department Call	1 0.03%
GI Bleed	2 0.05%
Gunshot	4 0.11%
Head Injury	29 0.78%
Headache	25 0.67%
Heart Problems	1 0.03%
Heat/Cold Exposure	1 0.03%
Hemorrhage/Laceration	4 0.11%
Hyperglycemia	6 0.16%
Hypertension	33 0.88%
Hypoglycemia	4 0.11%
Hypotension	14 0.37%
Hypothermia	1 0.03%
Industrial Accident/Inaccessible Incident/Other Entrapments (Non-Vehicle)	2 0.05%
Invalid Assist/Lifting Assist	1 0.03%
Machine/equipment Injury	1 0.03%
Medical Alarm	1 0.03%
Medical Evaluation/Blood Draw/UA	7 0.19%
Medical Transport	24 0.64%
Medication Reaction (Not Allergic)	2 0.05%
Motor Vehicle Accident	244 6.52%
Motorcycle Collision	11 0.29%
Mutual Aid-Medical	5 0.13%
Nausea/Vomiting	95 2.54%
Other	142 3.80%
Overdose	80 2.14%
Pain	129 3.45%
Pandemic/Epidemic/Outbreak (Officially Enacted Triage)	1 0.03%
Person ILL	50 1.34%
Pregnancy/Childbirth	53 1.42%
Prematurity	2 0.05%
Psychiatric Problems	104 2.78%
Public Service	3 0.08%
Respiratory Arrest	4 0.11%
Respiratory Distress	27 0.72%
Seizure/Convulsions	165 4.41%
Sickle Cell Crisis	9 0.24%
Stab/Gunshot Wound	15 0.40%
Stabbing	11 0.29%
Standby	8 0.21%
Stroke/CVA	43 1.15%
Structure Fire	4 0.11%
Suicide Threat/Attempt	53 1.42%
Supraventricular Tachycardia	2 0.05%

**PROVIDENCE FIRE
DEPARTMENT
BUREAU OF OPERATIONAL
CONTROL**



2014 ANNUAL REPORT

**JORGE O ELORZA
MAYOR**

**STEVEN PARE
COMMISSIONER
OF PUBLIC SAFTEY**

**CLARENCE CUNHA
CHIEF OF DEPARTMENT**

PROVIDENCE FIRE DEPARTMENT

BC James E Taylor

2014 ANNUAL REPORT

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
Auto Accident	183	161	118	153	134	175	146	154	174	175	183	192	1948
Advanced Life Supp.	1694	1619	1580	1536	1720	1679	1718	1758	1845	1776	1481	1718	20124
Auto In Water	0	0	1	0	0	1	0	0	0	0	0	0	2
Boat Capsized	0	0	0	0	0	0	0	0	0	0	0	0	0
Basic Life Support	299	290	347	413	440	424	551	492	427	513	462	545	5203
Bomb Threat	0	0	0	0	0	0	0	0	0	0	0	0	0
Bus Accident	0	0	0	0	0	0	0	0	0	0	0	0	0
Body In Water	0	0	0	0	0	0	0	0	0	0	0	0	0
Cave In	0	0	0	0	0	0	0	0	0	0	0	0	0
Commercial Alarm	41	36	32	43	33	38	40	42	55	53	57	30	500
CO Leak	55	40	28	26	23	24	18	21	19	26	48	45	373
Elevator Emergency	25	21	13	11	21	9	9	15	9	29	19	12	193
Explosion	0	0	0	0	0	0	0	0	0	0	0	0	0
Fill In Box	0	0	0	0	0	0	1	0	0	0	0	0	1
Haz Mat	0	1	0	0	0	0	0	0	0	2	0	0	3
Industrial Accident	1	0	1	1	1	1	0	1	3	2	1	1	13
Jumper	2	0	2	4	1	0	0	0	1	0	2	1	13
Lockouts	20	24	27	29	29	32	26	27	27	34	54	25	354
Lockout in Auto	12	3	7	8	6	4	7	10	4	6	7	7	81
Master Boxes	359	203	212	228	214	200	209	224	261	235	235	204	2784
Mutual Aid In- Fire	3	1	1	3	0	0	0	0	0	0	0	0	8
Mutual Aid Out-Fire	14	7	13	6	9	9	6	4	10	4	24	9	115
Mutual Aid In- Resc.	55	64	52	59	87	99	46	68	34	55	36	54	709
Mutual Aid Out-Resc.	24	21	31	27	41	39	45	52	28	23	23	29	383
Natural Gas Leak 1	0	2	3	0	1	3	4	6	2	6	4	6	37
Natural Gas Leak 2	22	14	22	20	22	11	20	22	9	21	15	23	221
Oil Spill	0	0	0	0	0	0	0	0	0	0	0	0	0
Relocations	0	0	0	0	0	0	0	0	0	0	0	0	0
Still Alarms	247	216	231	212	310	245	295	279	308	264	238	221	3066
Still Boxes	59	50	74	76	47	59	55	44	50	37	78	45	674
Street Box 0700-2300	79	55	80	125	182	153	166	140	207	202	117	87	1593
Street Box 2300-0700	7	6	8	19	22	29	50	48	23	27	9	12	260
Tipover	5	9	6	5	9	9	6	12	8	8	7	10	94
Water Emergency	106	16	16	5	8	10	11	10	6	9	9	9	215
Water Rescue	2	1	2	0	2	2	4	3	0	5	1	0	22
Total	3314	2860	2907	3009	3362	3255	3433	3432	3510	3512	3110	3285	38,989
Total Runs for 2014 = 38,989													

**BC James Taylor
Aide to Chief of Department
Providence Fire Department**

2014 2nd Alarm Fires

**1 Jan 2014 = 181 Eastwood Avenue
20 Jan 2014 = 9 Parkis Avenue
26 Jan 2014 = 45 Rosedale Street
6 Feb 2014 = 39 Ashmont Street
7 Mar 14 = 2 Regency Plaza
11 Mar 14 = 198 Althea Street
15 Apr 14 = 55 Plymouth Street (3rd Alarm)
30 Apr 14 = 10 Dorrance Street
4 May 14 = 1 Lasalle Square (3rd Alarm MCI)
9 May 14 = 98 Laban Street
30 May 14 = 432 Prairie Avenue
9 June 14 = Dexter Street & Bellevue Avenue (3rd Alarm)
23 June 14 = 242 Allens Avenue
28 June 14 = 1 Providence Place
31 December 14 = 393 Charles Street**

**Total = 12 2nd Alarms
3 3rd Alarms**

Total = 15

BC JAMES TAYLOR													
PROVIDENCE FIRE DEPARTMENT													
Year 2014													
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sept	Oct	Nov	Dec	Total
R1	331	314	325	352	381	388	383	363	362	366	351	410	4326
R2	377	365	336	356	413	407	404	382	361	367	334	392	4494
R3	380	359	370	381	393	374	372	345	352	367	295	353	4341
R4	432	434	435	497	522	510	480	473	459	475	434	490	5641
R5	364	361	362	371	390	397	351	348	379	352	342	379	4396
R6	410	382	407	414	447	430	425	438	441	447	370	400	5011
R7						10	356	383	382	384	321	376	2212
AS1	14	13	11	11	24	14	13	10	10	7	21	11	159
E2	276	226	240	220	215	241	235	223	255	216	228	243	2818
E3	361	371	387	337	443	391	408	440	439	418	393	382	4770
E4	138	98	100	121	99	79	101	113	135	135	140	114	1373
E5	131	105	98	101	115	115	118	111	135	117	118	93	1357
E6	176	184	164	169	190	199	187	203	210	204	180	173	2239
E7	272	262	259	254	291	302	287	260	308	275	264	249	3283
E8	419	321	315	308	338	351	310	350	347	349	328	366	4102
E9	259	182	171	160	213	187	209	172	205	226	197	162	2343
E10	297	239	270	237	263	269	257	259	233	227	232	274	3057
E11	193	138	156	171	164	148	180	159	188	164	192	178	2031
E12	300	266	312	315	357	322	330	332	354	375	323	310	3896
E13	188	187	143	173	206	179	180	222	180	184	180	172	2194
E14	379	271	273	267	295	301	320	311	342	311	262	256	3588
E15	323	255	259	239	253	247	280	297	348	327	286	275	3389
SH1	181	145	159	129	140	135	131	141	109	134	189	149	1742
TL1	248	171	164	154	203	176	191	190	206	160	180	171	2214
TL2	198	125	108	124	120	118	110	150	126	148	149	111	1587
L3	143	90	120	122	125	108	127	104	115	113	128	108	1403
L4	204	152	144	132	154	171	133	142	162	173	182	164	1913
L5	129	88	106	99	120	112	118	117	103	109	124	110	1335
L6	174	123	120	122	120	126	137	156	139	144	157	125	1643
L7	117	93	99	85	83	106	97	74	112	100	109	80	1155
L8	140	98	91	93	111	121	108	96	132	122	117	101	1330
B3	193	140	141	138	134	130	143	133	147	139	162	123	1723
D1	289	177	197	183	201	176	173	199	201	194	229	191	2410
C56A	9	10	14	4	14	15	6	8	6	9	13	3	111
C56B	5	4	1	5	9	6	10	7	7	6	8	6	74
C56C	11	5	7	3	10	5	12	4	5	2	10	5	79
C56D	9	5	16	7	9	12	12	9	6	8	15	8	116
C79A	6	5	10	5	8	7	3	4	1	2	1	6	58
C79B	0	7	2	1	0	2	4	2	1	0	2	2	23
Marine	0	0	0	0	0	0	0	0	0	0	0	0	0
THESE NUMBERS ARE FROM THE CAD													

PROVIDENCE FIRE DEPARTMENT

BC James E Taylor

2014 MUTUAL AID RESCUE RESPONSES INTO PROVIDENCE

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
Attleboro	0	0	0	0	0	0	0	0	0	0	0	0	0
Central Falls	2	1	0	0	0	2	0	1	1	1	0	1	9
Coventry	1	0	0	0	0	0	0	0	0	0	0	0	1
Cranston	22	13	16	20	23	27	8	12	10	10	12	15	188
East Providence	21	22	17	14	33	30	13	19	14	16	11	15	225
Johnston	3	3	0	0	5	4	1	1	1	2	2	0	22
Lincoln	3	3	2	6	5	4	5	2	2	6	1	5	44
North Providence	14	20	8	17	30	26	14	17	8	13	5	10	182
Pawtucket	7	14	7	12	23	15	5	14	13	14	6	16	146
Scituate	1	1	2	0	1	0	3	1	1	1	1	0	12
Seekonk	0	0	0	3	1	3	0	2	0	0	1	4	14
Smithfield	3	0	1	4	6	5	1	1	0	1	1	3	26
Warren	0	0	0	0	0	0	0	0	0	0	0	0	0
Warwick	4	5	4	5	6	6	2	4	3	2	1	2	44
West Warwick	0	0	0	1	0	0	0	1	0	0	0	0	2
Total	81	82	57	82	133	122	52	75	53	66	41	71	915

**From the desk of:
BC James E Taylor
Providence Fire Department
Administrative Aide to Chief
(401) 243-6066 (Office)
(401) 243-6488 (Fax)**

PROVIDENCE FIRE DEPARTMENT

**As of December 31, 2014
1698 MASTER BOXES
702 STREET BOXES (502 ACTIVE)**

TOTAL = 2400 BOXES

200 STREET BOXES ARE MISSING

**75 NEW MASTER BOXES PUT IN FOR 2008
59 NEW MASTER BOXES PUT IN FOR 2009
41 NEW MASTER BOXES PUT IN FOR 2010
59 NEW MASTER BOXES PUT IN FOR 2011
17 NEW MASTER BOXES PUT IN FOR 2012
20 NEW MASTER BOXES PUT IN FOR 2013
52 NEW MASTER BOXES PUT IN FOR 2014**

Rhode Island E 9-1-1 received approximately 512,000 calls in 2014.

Providence transfers are as follows:

Providence Police-----55,096 transfers

Providence Fire-----4,021 transfers

Providence Rescue---26,753 transfers

These numbers do not take into consideration the calls that were received on the 7 digit lines.

**BC James Taylor
Administrative Aide to Chief
Providence Fire Department**